
No.



9400178

TO ALL TO WHOM THESE PRESENTS SHALL COME?

# Utah Agricultural Experiment Station

Colherens, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS CHEBBUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THILE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANTS: INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANTAGE PROTECTION OF THE SAID APPLICANT(S). TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF CIGhteen WARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING ON IN PRODUCING A HYBRID OR DIFFERENT IPTY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS

OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS Y THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

'Garland'

In Lestimony Withereof, I have hereunlo set my hand and caused the seal of the Elant Variety Protection Office to be affixed at the City of Washington, D.C.

31st day of October this the year of our Lord one thousand nine

hundred and ninety-four.

Kenneth HEvan Plant Variety Protection Office Agricultural Marketing Service

 $X \times A \times X \times A \times X$ 

 $M_{i} \times X_{i} M_{i} \times X_{i} M$ 

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURAL MARK	AGRICULTURE ETING SERVICE	·	Application is required in orde	
APPLICATION FOR PLANT VARIET	TY PROTECTION	CERTIFICATE	determine if a plant variety prote certificate is to be issued (7 U.S.C. Information is held confidential certificate is issued (7 U.S.C. 2426).	
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	2.	TEMPORARY DESIGNATION	OR 3. VARIETY NAME	
Utah Agricultural Experiment Statio	Utah Agricultural Experiment Station UT1706			
4 ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	5	PHONE (Include area code)	FOR OFFICIAL USE ONLY	
Utah State University Logan, UT 84322-4810		(801) 797-2235	PVPO NUMBER  9400178  F Date	
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botanical)		L JA77	
Triticum aestivum	Poaceae (Gram	N A.M.		
8. CROP KIND NAME (Common Name)		E OF DETERMINATION	F Filing and Examination Fee:	
Wheat		Sept. 1992	\$2150 °C	
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA		-	S Date	
State Agricultural Experiment Stati		smp. association. etc.)	R	
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	· · · · · · · · · · · · · · · · · · ·		C Certificate Fee:	
The industry drafted, date of incorporation	12. DATE	OF INCORPORATION	V Daje	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO			5 Sept 30, 199	
LOSAN, UT 84322-482()  14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Foliation of Control of Contro	nip. I Sample mailed to Plant Varie Treasurer of the United States DLD BY VARIETY NAME ONLY AS NO (If "NO.": TO 17. IF "YES" TO ITE	A CLASS OF CERTIFIED SEED skip to item 18 below)	20-94  Of (See section 83(a) of the Plant Variety  RODUCTION BEYOND BREEDER SEED?	
X YES NO	X FOUNDA	TION X RE	GISTERED A CERTIFIED	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VALUE O	Patent Act. Give date:	···		
20. The applicant(s) declare(s) that a viable sample of basic servequest in accordance with such regulations as may be applied. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitled. Applicant(s) is (are) informed that false representation here.  SIGNATURE OF APPLICANT (Owner(s))	icable. sexually reproduced nove d to protection under the pi	el plant variety, and bel rovisions of section 42 of t on and result in penalties	ieve(s) that the variety is distinct, the Plant Variety Protection Act.	
SIGNATURE OF APPLICANT (Owner(s))	Director,  CAPACITY OR TITLE  Vice Pres  Research	ident for	4-26-94 DATE 4-26-94	

#### Exhibit A - Origin and Breeding History

#### **Garland Winter Wheat**

Summer 1980:

Original cross made at Logan, by Dr. Wade G. Dewey.

Cross number was UT1706

Parentage = NE7060 X UT1195-143

NE7060 has the pedigree: Favorite/5/Cirpiz/4/Jang Kwang//Atl. 66/Cmn/3/Velvet

UT1195-143 was a selection from the cross UT755-90-1 X UT1054 F<sub>1</sub>

UT755-90-1 was released as Cardon

UT1054  $F_1$  was the  $F_1$  of the cross ID0028 X UT738-274-1

ID0028 was released as Bannock

UT738-274-1 was a selection from the cross Columbia X (Delmar X UT283-19-1)

UT283-19-1 was a selection from the cross UT175a-53 sel. 2 X (Norin 10 X Brevor 11) sel.

UT175a-53 sel. 2 was a selection from the cross UT122a-327-1 X UT148a-239-12

UT122a-327-1 was a selection from the cross UT43e-21 X Ridit UT148a-239-12 was a selection from the cross Oro X Ridit UT43e-21 was a selection from the cross Hussar X Turkey Red

Oro was a selection from Norin 10 X Brevor

Summer 1981:

F<sub>1</sub> plants grown at Logan, Utah.

Summers 1982,

1983,1984

F<sub>2</sub> through F<sub>4</sub> generations grown at Logan, UT in modified bulk populations inoculated with common bunt and selected for agronomic and pathological characteristics. Selected seed were bulked for the succeeding generation.

Summer 1985:

F<sub>5</sub> plants grown at Logan, UT in a modified bulk population inoculated with common bunt. one head was selected from agronomically desirable types.

Summer 1986:

Seed from individual heads were grown in F<sub>5:6</sub> head rows at Logan, UT. Individual agronomically desirable head rows, including UT1706-1, were harvested separately.

**Summer 1987:** 

1706-1 was grown in an unreplicated yield test at Logan UT as a F<sub>5:7</sub> line. Selection was for superior yielding ability as well as resistance to mildew and other agronomic traits.

Winter 1987:

Protein, test weight, sedimentation and subjective kernel evaluations were performed on 1706-1 to assure adequate breadmaking quality.

Summers 1988,

through 1993

1706-1 was tested in the advanced irrigated yield test at Logan, UT.

Summer 1990:

Individual heads of uniform 1706-1 plants were harvested.

Fall 1990

Individual heads of 1706-1 were planted in a breeder seed nursery

Summer 1991: Breeder seed was harvested and bulked from 200 uniform headrows.

Fall 1991: 1706-1 was planted in a foundation field.

Fall 1992: 1706-1 was planted in a foundation field from previous foundation seed.

Fall 1993: 1706-1 was planted in a foundation field from previous foundation seed and from original

breeder seed.

Fall 1993 1706-1 is released and named Garland by the Utah Agricultural Experiment Station.

Garland is generally uniform and stable with up to 3 white seeds per pound.

#### **Exhibit B - Novelty Statement**

#### **Garland Winter Wheat**

Garland is unlike any other semi-dwarf hard red winter cultivar that we have observed. To our knowledge, Garland is most similar to Ute. However, there are many substantial differences between the two cultivars including but necessarily limited to:

1. Garland is tan chaffed whereas Ute is bronze chaffed.

2. Garland is resistance to mildew, Ute is susceptible

3. Garland grows approximately 4 cm shorter than Ute.

4. Garland seed averages 2 pounds per bushel heavier in test weight than Ute.

5. Garland has better resistance to dwarf smut (*Tilletia contraversa* Kuhn) than Ute

6. In areas where mildew is a problem, garland consistently out yields Ute by a large margin.

4

Exhibit B ADDENDUM for PVP Application for 'Garland' Wheat.

Garland and Ute Comparative Data

Cultivar	1988	1989	1990	1991	1992	1993	Average	Significance
			Test Weig	ht (Lbs/Bu	)			
Ute	57.0	56.6	55.1	57.7	55.7	59.5	56.9	**
Garland	57.7	59.1	58.2	59.8	59.0	61.1	59.2	
			Prote	in (%)				· · · · · · · · · · · · · · · · · · ·
Ute	13.2	13.3	13.5	13.1	13.4	13.7	13.4	*
Garland	13.4	14.4	14.2	13.8	13.6	13.8	13.9	
Plant Height (inches)								
Ute	30.0	33.5	32.5	32.0	32.0	28.0	31.3	*
Garland	29.0	31.8	31.2	31.0	28.0	27.0	29.7	
Mildew (0=no infection, 5=severe infection)								
Ute	4.0	5.0	4.0	5.0	5.0	4.0	4.5	**
Garland	0.0	0.5	2.2	0.7	2.0	1.0	1.1	
Dwarf Bunt (% smutted heads)								
Ute	30.0	30.0	4.0	12.0	15.0	6.0	16.2	**
Garland	15.0	15.0	0.5	0.5	3.0	2.0	6.0	
Heading Date (June)								
Ute	8	7	9	15			9.8	
Garland	8	8	8	15			9.8	
Yield (bushel/acre)								
Ute	131.3	110.3	98.5	84.1	93.0	29.1	103.4	**
Garland	133.7	156.8	141.9	145.3	140.1	133.4	143.6	
1993 yields are not calculated into the average due to severe snow mold losses of Ute.								
			C 4					1, 137

Individual values are based on the average of 4 replications in a given year at the Utah Agricultural Experiment Station North Logan farm.

Statistical tests done using SAS systems software. (\*) indicates significantly different means at the 5% level and (\*\*) indicates significantly different means at the 1% level

5

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE COMMODITIES SCIENTIFIC SUPPORT DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C

## OBJECTIVE DESCRIPTION OF VARIETY WHEAT (TRITICUM SPP.)

NAME OF APPLICANTIS	ITICOM 2FF4
	FOR OFFICIAL USE ONLY
Utah Agricultural Experiment Station	PYPO NUMBER Q / O O 1 7 8
Utah State University	VARIETY NAME OR TEMPORARY
Plants, Soils, & Biometeorology Dept.	DESIGNATION
Logan, UT 84322-4820	Garland
Place the appropriate number that describes the varietal characte	
Place a zero in first box (e-s- 0 8 9 or 0 9 ) when number	is either 99 or less or 9 or less.
t. KINDs	
	= POLISH 6 = POULARD 7 = CLUB
2. TYPE:	
2 1 = SPRING 2 = WINTER 3 = OTHER (Specity)	2 2 = HARD 3 = OTHER (Specify)
2 1 = WHITE 2 = RED 3 = OTHER (Specify)	• 
1. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
2 4 7 FIRST FLOWERING	2 5 7 LAST FLOWERING
4. MATURITY (50% Flowering):	
0 1 NO. OF DAYS EARLIER THAN	5 1 = ARTHUR 2 = SCOUT 3 = CHRIS
0 3 NO. OF DAYS LATER THAN	7 7 = Stephens 6 = LEEDS
5. PLANT HEIGHT (From soil level to top of head):	
0 7 7 cm. High	
CM. TALLER THAN	
7.0	1 = ARTHUR 2 = SCOUT 3 = CHRIS
1 2 CM. SHORTER THAN	5 4= LEMHI 5 = NUGAINES 6 = LEEDS
PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COLOR:
2 1 = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 = YELLOW 2 * PURPLE
. STEM:	2 12 10 10 10 10 10 10 10 10 10 10 10 10 10
1 Anthocyanin: 1 = ABSENT 2 = PRESENT	Taxy bloom: 1 = ABSENT 2 = PRESENT
Hairiness of last internode of mechis: 1 = ABSENT 2 = PRESENT	1   laternodes: 1 = HOLLOW 2 = SOLID
0 4 NO. OF NODES (Originating from node above ground)	1 8 CM INTERNODE LENGTH BETWEEN FLAG LEAF
AURICLES	
1 Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Hairiness: 1 = ABSENT 2 = PRESENT
LEAFI	
Flag leaf at   = ERECT 2 = RECURVED	1 Flag leaf: 1 = NOT TWISTED 2 = TWISTED
2 Hairs of first leaf sheath:   = ABSENT 2 = PRESENT	1 Vary bloom of flag leaf sheath: 1 = ABSENT 2 = PRESENT
1 0 MM. LEAF WIDTH (First load below Had load)	2 0 CM. LEAF LENGTH (First loof below flat loof):

11. HEAD:  2 Density: 1 = LA	x 2 = DENSE	4 Shape: 1 = TA	PERING 2 = STRAP 3 = CLAVATE HER (Specify) Oblong
4 Awnedness: 1 =	AWNLESS 2 = APICALLY AWNLETED	3 = AWNLETED 4 = A	WNED
7 Color at maturity:	1 = WHITE	4 = REO THER (Specify): Tan	
0 9 CM. LENGTH	• 1 · · )	1 4 MM. WIDT	н
1 3 1	RITY: RT (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.) 5 (CA. 9 mm.)	1 4 1	ROW(CA. J mm.) 2 = MEDIUM(CA. 3.5 mm.)
Shoulder I = wan shape: 4 = SQU		E 3 Beak: 1 = 0870	JSE 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLO	OR:	14. SEEDLING ANTHO	)CYANIN;
1   = WHITE 2 =	RED 3 = PURPLE	1 = ABSENT	2 = PRESENT
15. JUVENILE PLANT	ROWTH HABIT:		-
2 1 = PROSTRATE	2 = SEMI-ERECT 3 = ER	ECT	
16. SEED:			
1 Shape: 1 = OVATE	2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUI	NOED 2 = ANGULAR
2 Brush 1 = SHORT	2 = MEDIUM 3 = LONG	1 Brush: 1 = NOT	COLLARED 2 = COLLARED
Phenol reaction (See instructions):	1 = IVORY 2 = FAWN 3 = LT. BRO 4 = BROWN 5 = BLACK	WN	
3 Color: 1 = WHITE	2 = AMBER 3 = RED 4 = PURPL	E S = OTHER (Specify)	
0 7 MM. LENGTH	0 4 MM. WIDTH	5 0 GM. PER 100	00 SEEDS
17. SEED CREASE:			
1 Vidth: 1 = 60% OR	LESS OF KERNEL 'WINOKA'	2 Depth: 1 = 20%	OR LESS OF KERNEL 'SCOUT'
2 = 80% OR L	ESS OF KERNEL 'CHRIS'	2 = 35%	OR LESS OF KERNEL 'CHRIS'
	AS WIDE AS KERNEL 'LEMHI'	3 = 50% (	OR LESS OF KERNEL 'LEMHI'
	red, 1 = Susceptible, 2 = Resistant)		-
STEM RUST	LEAF RUST (Recee)	STRIPE RUSY (Reces)	LOOSE SMUT
2 POWDERY MILDEW	2 BUNT	OTHER (Specily)	
9. INSECT: (0 = Not Tesn	ed, 1 = Susceptible, 2 = Resistant)		
SAWFLY	APHIO (Bydv.)	GREEN BUG	1 CEREAL LEAF BEETLE
OTHER (Specify)	HESSIAN FLY	GP A	В
	RACES:	0 E	
- INDICATE WHICH YARIE	TY MOST CLOSELY RESEMBLES THAT S	UBMITTED:	
CHARACTER	HAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant tillering	Ute	Seed size	Meridian
Leaf size	Ute	Seed shape	Meridian
Leaf color	Ute	Coleoptile elongation	Ute
Leaf carriage	<b>∵</b> Ute	Seedling pigmentation	Ute

#### INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Theat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysis. (See attachment.)

MAY 2 100

### Exhibit E - Statement of the Basis of Applicants Ownership

#### **Garland Winter Wheat**

The original crosses and selection of Garland (UT1706-1) were made by Dr. Wade Dewey, plant breeder at the Utah Agricultural Experiment Station, at Utah State University, Logan, UT. Following Dr. Dewey's retirement in 1989, Testing and further selection were under the direction of Dr. Rulon Albrechtsen, and then Dr. David Hole, plant breeders at the Utah Agricultural Experiment Station. By agreement between employee and the Utah Agricultural Experiment Station and Utah State University, all rights to any invention, discovery or development made by an employee are assigned to the employer. No rights to such invention, discovery or development are retained by the employee.